



The World Wide Leader in Antenna

2.4GHz Antenna

WLP-8815

Frequency : 2.4-2.5GHz

Gain : 3dBi

V.S.W.R : <2.0:1

Impedance : 50 ohm

Connector : SMA(RP) (Optional)

Cable : RG174 (Optional)

Material : ABS Polymer

Weight : \approx 50g

Dimensions : ϕ 52.5 x 11mm

Color : Black

Mounting : 3M Tape

Polarization : Vertical

Temperature : -20°C to +60°C




EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com




ISO 9001



	EVERCOM COMMUNICATION TECHNOLOGY CO., LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	WLP-8815SMA(RA)-M015			C.H.C 2012.05.08	1 : 1	mm

Evercom Communication Technology Co., Ltd. Frequency Inspection Report



System

Print

Abort Printing

Printer Setup...

Invert Image
ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight
ON

Firmware Revision

Item No. : WG-WLP-8815SMA(RA)-M015


Inspector: Amber



The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**



**100 pcs per carton
Carton Dimensions:50*30*20cm**

