

RUT241-eSIM



RUT241-eSIM

INDUSTRIAL 4G eSIM™ ROUTER

The RUT241 eSIM™ is an industrial cellular router equipped with LTE Cat 4 and eSIM™ with SGP.22 pull-based consumer architecture. This compact eSIM™ router supports a physical SIM card, up to seven eSIM™ profiles, controlled via WebUI and RMS, and Trusted Platform Module (TPM) for enhanced security. The RUT241 eSIM™ router provides undisrupted connectivity with automatic WAN failover and two Ethernet ports, making it perfect for your M2M and IoT solutions.



CONNECTIVITY

4G LTE (Cat 4), 3G, 2G

eSIMTM

Seamless connectivity with eSIM™ SGP.22

TPM

Next-gen router security with Trusted Platform Module

RMS

For easy & convenient eSIM™ profile management

RMS MANAGEMENT SYSTEM COMPATIBLE WITH RUT241-eSIM

MANAGEMENT

ALFRTS

CONFIGURATION

ACCESS

FNTA



KEY FEATURES

Н	Α	R	D	W	Ά	R	F

Mobile	4G (LTE) – Cat 4 up to 150 Mbps, 3G – Up to 42 Mbps, 2G – Up to 236.8 kbps		
CPU	Mediatek, 580 MHz, MIPS 24KEc		
RAM	128 MB, DDR2		
Storage	16 MB, SPI Flash		
Powering options	4-pin industrial DC power socket, 9 - 30 VDC		
SIM	1 x SIM slot (Mini SIM – 2FF), 1.8 V/3 V, external SIM holder		
eSIM™	Consumer type eSIM™, profile download and removal operations, up to 7 eSIM™ profiles		
TPM	Identification and authentication module, TPM 2.0 standard		
Antenna connectors	2 x SMA for LTE, 1 x RP-SMA for Wi-Fi antenna connectors		
Ethernet	2 x RJ45 ports, 10/100 Mbps		
Wi-Fi	IEEE 802.11b/g/n, Access Point (AP), Station (STA)		
Inputs/Outputs	1 x Digital Input, 0 - 6 V detected as logic low, 8 - 30 V detected as logic high, 1 x Digital Output, Open collector output, max output 30 V, 300 mA		
Status LEDs	3 x Connection type status LEDs, 5 x Connection strength LEDs, 2 x LAN status LEDs, 1 x Power LED		
Operating temperature	-40 °C to 75 °C		
Housing	Aluminum housing, plastic panels		
Dimensions (W x H x D)	83 x 25 x 74 mm		
Weight	130 g		

SOFTWARE

RutOS (OpenWrt based Linux OS)		
eSIM, Status, SMS, USSD, Black/White list, Multiple PDN, Band management, SIM idle protection service, APN, Bridge, Passthrough		
VoIP passthrough support, Connection monitoring, Firewall, Firewall status page, Ports management, Network topology, Hotspot, DHCP, QoS / Smart Queue Management (SQM), DDNS, DNS over HTTPS, Network backup, Load balancing, SSHFS		
Authentication, Firewall, Attack prevention, VLAN, Mobile quota control, WEB filter, Access control, TPM, SSL certificate generation		
OpenVPN, IPsec, GRE, PPTP, L2TP, Stunnel, DMVPN, SSTP, ZeroTier, WireGuard, Tinc		
WEB UI, FOTA, SSH, SMS, Call, Email, TR-069, MQTT, SNMP, JSON-RPC, RMS		
RMS, Cloud of Things, ThingWorx, Cumulocity, Azure IoT Hub		
OPC UA, Modbus, Data to Server, Modbus MQTT Gateway, DNP3, DLMS, API		

